

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Huw Edward OLIVER) RE: Claim to Priority
Serial No.: Not yet assigned)
Filed: Concurrently herewith) Our Ref: B-5271 621386-3
For: "OBTAINING USER FEEDBACK ON DISPLAYED ITEMS") Date: November 26, 2003

CLAIM TO PRIORITY UNDER 35 U.S.C. 119

Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Sir:

[X] Applicants hereby make a right of priority claim under 35 U.S.C. 119 for the benefit of the filing date(s) of the following corresponding foreign application(s):

<u>COUNTRY</u>	<u>FILING DATE</u>	<u>SERIAL NUMBER</u>
GB	27 November 2002	0227613.7


- [] A certified copy of each of the above-noted patent applications was filed with the Parent Application No.____.
- [X] To support applicants' claim, a certified copy of the above-identified foreign patent application is enclosed herewith.
- [] The priority documents will be forwarded to the Patent Office when required or prior to issuance.

Respectfully submitted,



Ross A. Schmitt
Attorney
Reg. No. 42,529

LADAS & PARRY
5670 Wilshire Boulevard
Suite 2100
Los Angeles, CA 90036
Telephone: (323) 934-2300
Telefax: (323) 934-0202





EV 301025951 US



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed 

Dated 17 October 2003

THIS PAGE BLANK (UNPTO)

Patents Form 1/77

Patents Act 1977

6

THE PATENT OFFICE

K

27 NOV 2002



1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference 300203613-1 GB 27NOV02 E766598-1 D01463
P01/7700 0.00-0227613.7
2. Patent application number 0227613.7 27 NOV 2002
(The Patent Office will fill in this part)
3. Full name, address and postcode of the or of each applicant (underline all surnames)
Hewlett-Packard Company
3000 Hanover Street
Palo Alto
CA 94304, USA
Patents ADP number (if you know it) 629338500/
Delaware, USA
If the applicant is a corporate body, give the country/state of its incorporation
4. Title of the invention Collecting Browsing Effectiveness Data Via Refined Transport Buttons
5. Name of your agent (if you have one) Richard A. Lawrence
Hewlett-Packard Ltd, IP Section
Filton Road, Stoke Gifford
Bristol BS34 8QZ
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)
Patents ADP number (if you know it) 7448038001
- | 6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number | Country | Priority application number (if you know it) | Date of filing (day / month / year) |
|--|-------------------------------|--|-------------------------------------|
| 7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application | Number of earlier application | Date of filing (day / month / year) | |
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:
a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.
See note (d)) Yes

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	27 /
Claim(s)	9 /
Abstract	1 /
Drawing(s)	14 + 14 + 21

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

Fee Sheet /

11. I/We request the grant of a patent on the basis of this application.

Signature

Richard A. Lawrence

Date

26 / 11 / 2002

12. Name and daytime telephone number of person to contact in the United Kingdom

Tony Judd

Tel: 0117-312-8026

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.



DUPLICATE

COLLECTING BROWSING EFFECTIVENESS DATA VIA REFINED TRANSPORT BUTTONS

Field of the Invention

5 The present invention relates to the field of computer science, and particularly although not exclusively, to web browsers.

Background to the Invention

10 Increasingly, there has developed a market place of digital services which are accessible on line. For example on the internet, there are available music services such as Napster[®] and like services, as well as video services, printing services, and many other services. One of the features of a digital market place is that suppliers and customers cannot meet face to face, and transactions are conducted electronically. Two counter parties to a transaction cannot easily gain
15 any measure of how much to trust each other. In particular, there is an asymmetry of information between the service provider and the customer concerning the basic elements of a business relationship including trust.

20 The service provider will have invested in their web site, and provide information to the customer concerning the service, possibly with some free samples of electronic data. On the other hand, the customer provides little information to the service provider concerning the customer's requirements.

25 How to maintain trust and reputation in the market place is a known economics problem, and various writers have addressed the issue in the prior art. For example workers such as Akerlof have published several papers, one of which is entitled 'the market for lemons', in which the impact of customer information in the second hand car market is discussed, and which concludes that if customers do not have information about the quality of goods, they will not
30 be able to tell the difference between good and poor quality goods or services, and the price will tend to the lowest price, which in turn encourages producers to

produce the lowest quality and cheapest goods/services. Conventionally, there are two approaches to dealing with degradation of the market. A first approach, is to standardise a product or service, so although the product or service may not be top quality, it is of reproducible quality. The second approach, is to improve the reputation of the business, so the customers have confidence in the business, and the business can charge higher prices. Customers are expected to accept whatever quality that business produces.

Consequently, information about the reputation of a business is useful in controlling the market. However, this type of information is absent in an electronic commerce environment.

It is known for businesses to try and improve their reputation by various mechanisms, including sponsorship of charitable events, and advertising. Customers may gain an appreciation of the reputation of a business through the visibility of those charitable events and through advertising, by word of mouth, or by trusted third parties, for example consumer quality magazines. None of these prior art methods apply directly to an online environment.

Problems in a digital services market include how to establish a reputation of a business online, and how to collect online information relevant to the reputation. A presently unsolved problem is how to collect reputation information with minimum of effort on the part of the supplier of the information.

The reputation information can be used to make decisions about which member to deal with in future, and is therefore valuable information. Reputation data is generated in a distributed manner without central management, and is therefore a frequently discussed service in distributed computer networks.

Prior art solutions include filling in a feedback form, in which a user answers questions about their usage of a particular service provided on line. However, the ineffectiveness of feedback forms is well known. Completing a feedback form

involves a user typing text into a set of text data entry boxes on a visual display screen.

Referring to Fig. 1 herein, there is illustrated a prior art system of a plurality of service providers 100, 101 communicating over the internet 102 with a plurality of users each having a user computer 103, 104.

Individual service providers may provide facilities within their websites to collect customer feedback data from a plurality of users.

10

Referring to Fig. 2 herein, there is illustrated schematically one instance of a user computer 200 and one instance of a service provider server computer 201, showing a prior art browser installed in the user computer, and a web server application installed in the service provider computer, which forms the basis of many internet based e-commerce services in the prior art.

15

The user computer 200 comprises one or a plurality of communications ports 202 for communicating over an internet link 203 with the service provider; a processor 204; a memory device 205; a data storage device 206, for example a hard disk data storage unit or the like; a user interface 207 including a visual display monitor, a keyboard, and a pointing device such as a mouse, trackball or the like; an operating system 208 of known type, for example Unix®, Linux®, or Windows® operating system; a web browser 209 for example a web browser comprising the operating system such as the known Windows Internet Explorer, or a separate browser such as a NetScape® browser; and one or more applications programs 210.

25

The service provider server computer 201 comprises a communications port 211 for communicating with the one or more user computers; a processor 212; memory 213; a data storage device 214, for example an array of hard disks, such as a RAID array or the like; an operating system 215, for example a Unix®, Linux®, or Windows® operating system; one or more databases 216, which may

30

contain content data subject of a service provided by the server computer; one or more service applications 217, for enabling the server computer to provide a service; a and web page generator 218 for generating a web site, which can be viewed using the browser 209 of one or more user computers.

5 Feedback data relating to a customers experience is collected by the website, by a user filling in a form served by the website application and viewable on the users browser.

10 Referring to Fig. 3 herein, there is illustrated schematically a view of a prior art browser as displayed on a screen on a prior art user computer. The browser comprises a back icon 300 enabling a user to step back one stage from a current web page which is being viewed in a view area 301, and a forward icon 302 enabling the user forward one or more pages from a presently viewed website.

15 Referring to Fig. 4 herein, there is illustrated schematically a logical diagram of prior art operation of a prior art search engine 400 responding to a plurality of queries from a plurality of user browsers 401 - 404. Each browser sends a query message to the search engine requesting a website or requesting a search. The
20 search engine sends replies back to the browsers, listing search engines and providing websites and web pages in response to the queries.

In the above prior art systems, reputation information can be handled by virtue of filling in response questionnaire forms presented on line at the browser.
25 For example the E-bay® website allows users to submit a form which describes whether their transaction was good or bad for that user.

30 However, the internet currently has several features which makes it difficult to collect detailed information about websites. Firstly, download times for information from websites, although improving, are still quite slow, and are not instantaneous. Users are reluctant to enter into any long form filling processes on screen, because of the communications delay between the users computer



and a website, sometimes over a slow and unreliable legacy communications link. Secondly, users are pre-disposed not to give detailed information, because it takes time, and users of the internet wish to use their time more effectively whilst on line. Thirdly, there is a general reluctance to give out information on the part of users, where there is no direct benefit to the user. Users are likely to give information as part of a transaction, but otherwise where there is no transaction, users are reluctant to give information for security and privacy reasons.

Therefore, a technical problem is how to make it easy for users of electronic services to provide reputation information, so that every time a user makes an interaction with a service provider, information concerning the reputation of the service provider can be collected.

Another problem is to overcome the reluctance of users to voluntarily give information about a website or service online, where the questions asked may be viewed as intrusive or unnecessary to a user of a service.

Summary of the Invention

According to a first aspect of the present invention there is provided program data comprising instructions for causing a computer to operate to: display a first transport icon for transporting between page displays; display a first semantic information associated with said first transport icon; display a second transport icon for transporting between page displays; and display a second semantic information associated with said second transport icon, wherein said first and second transport icons are each activatable for effecting a same transition between page displays, and said first and second semantic information are different to each other.

According to a second aspect of the present invention, there is provided a computer entity comprising: a visual display device capable of generating a screen display comprising a display window for displaying a web page; a web browser component capable of generating instructions for finding a website, and

for displaying a plurality of web pages of a said website; a transport component for causing said web browser to display a transport icon which can be activated to cause said computer to display a succession of views in said display window; and an information display component for displaying information about a users
5 experience of information displayed in said display window of said browser, said information display being presented immediately adjacent a said transport icon.

According to a third aspect of the present invention, there is provided a service provider computer entity adapted for providing an online accessible
10 service, said computer entity comprising: a web server application capable of generating a plurality of web pages; and a user monitoring application, capable of monitoring a plurality of messages received from a plurality of users of said service, wherein said plurality of messages contain information describing said user's experiences of said website.

15 According to a fourth aspect of the present invention, there is provided a service provider computer entity adapted for providing an online accessible service, said computer entity comprising: a web server application capable of serving a website to a plurality of users; a message generation component for
20 generating messages containing information associated with a plurality of browser transport icons, said information describing a positive aspect and a negative aspect of an experience of a website served by said computer entity.

According to a fifth aspect of the present invention, there is provided a
25 method of operating a computer entity to collect data describing opinions of a plurality of users of one or more on line services, said method comprising: displaying a set of transport icons for transporting between display views comprising said online service; for each said transport icon, presenting an associated information describing a type of experience which said user has
30 encountered.

According to a sixth aspect of the present invention, there is provided a search engine comprising: a component for generating a screen display view, said screen display view comprising a set of transport icons for navigating through a set of displayed web pages, said transport icons comprising: a positive transport icon which can be activated in response to a positive experience of a user of a said search engine; and a negative transport icon, which can be activated in response to a negative experience of said user; a component for cumulatively collecting data describing activation of said transport icons and for matching said activation data with a set of web sites for which said activation data corresponds; a component for generating a satisfaction information from said activation data, said satisfaction information describing a level of satisfaction with each said web site, determined from said activation data; and a component for displaying a list of said web sites, together with a corresponding respective satisfaction data for each said web site.

15

According to a seventh aspect of the present invention, there is provided a method of operating a computer entity comprising: generating a screen display view, said screen display view comprising a set of transport icons for navigating through a set of displayed web pages; displaying a positive transport icon which can be activated in response to a positive experience of a user of a said search engine; and displaying a negative transport icon, which can be activated in response to a negative experience of said user; collecting data describing activation of said transport icons and matching said activation data with a set of web sites for which said activation data corresponds; generating a satisfaction information from said activation data, said satisfaction information describing a level of satisfaction with each said web site, determined from said activation data; and displaying a list of said web sites, together with a corresponding respective satisfaction data for each said web site.

20

25

30

According to an eighth aspect of the present invention, there is provided a search engine operable for: finding, in response to a text string input of a remote user, a plurality of web sites; for a plurality of said web sites, storing cumulative

data describing user satisfaction of each of said web sites; displaying said plurality of web sites as a list in a visual display interface, wherein for each said web site, is displayed a satisfaction rating determined from said accumulated satisfaction data.

5

According to an ninth aspect of the present invention, there is provided a method of collecting and disseminating information within a computer system comprising a plurality of computer entities, said method comprising: collecting semantic information describing features of a plurality of service sites served by individual ones of said plurality of computer entities; for each said service site, making available said collected semantic information relating to said service site.

10

According to a tenth aspect of the present invention, there is provided a method of operating a computer entity comprising a user interface capable of displaying a sequence of page displays, said method comprising: displaying a first transport icon for transporting between page displays; displaying a first semantic information associated with said first transport icon; displaying a second transport icon for transporting between page displays; and displaying a second semantic information associated with said second transport icon, wherein said first and second transport icons are each configured for effecting a same transition between page displays, and said first and second semantic information are different to each other.

15

20

According to an eleventh aspect of the present invention, there is provided a computer entity configured for collecting data describing a user's experience of a service accessed by said computer entity, said computer comprising: a web browser; a first transport icon display for transporting between page displays; a first semantic information associated with said first transport icon display; a second transport icon display for transporting between page displays; and a second semantic information associated with said second transport icon display; wherein said first and second transport icons are each activatable for effecting a

25

30

same transition between page displays, and said first and second semantic information are different to each other.

Other aspects according to the invention are as described in the claims herein, and the scope of the invention is limited only by the features of the claims herein.

Brief Description of the Drawings

For a better understanding of the invention and to show how the same may be carried into effect, there will now be described by way of example only, specific embodiments, methods and processes according to the present invention with reference to the accompanying drawings in which:

Fig. 1 illustrates schematically a prior art e-commerce environment having a plurality of service provider computers and a plurality of customers operating user computers for viewing websites and accessing electronic services over the internet:

Fig. 2 illustrates schematically components of a prior art user computer equipped with a prior art browser and a prior art service provider computer providing prior art service applications and content via a website to the user computer;

Fig. 3 illustrates schematically a screen view of a prior art browser;

Fig. 4 illustrates schematically a logical layout of a prior art centralised search engine system, in which a central search engine provides a search service to a plurality of browsers of a plurality of user computers;

Fig. 5 illustrates schematically a user computer having browser functionality according to a specific implementation of the present invention, and a web server

computer having monitoring capabilities according to a first specific implementation of the present invention;

5 Fig. 6 illustrates schematically a screen view of a browser having transport icons according to a first specific embodiment of the present invention;

Fig. 7 illustrates schematically a pair of back transport icons of a first and second type according to a generic implementation of the present invention;

10 Fig. 8 illustrates schematically a specific example of a pair of back icons having a graphical information display according to a second specific embodiment of the present invention;

15 Fig. 9 illustrates schematically process steps carried out by a user computer for finding and accessing a website, and providing feedback messages to the website concerning a user's opinion of the website;

20 Fig. 10 illustrates schematically an example of an opinion message sent from a user computer to a web server computer describing a user's opinion of a web page served by the web server computer;

25 Fig. 11 illustrates schematically sub-fields of an opinion message describing types of information which are sent from the user computer to the web server computer;

Fig. 12 illustrates schematically process steps carried out by a web server computer upon receiving a feedback message from a user computer;

30 Fig. 13 illustrates schematically process steps carried out by a web server computer for launching a web page, and for setting the types of information which are presented on a set of transport icons displayed by a web browser at a user



computer, to enable the user computer to send feedback messages to the web server computer;

5 Fig. 14 illustrates schematically an interaction between a user computer and a web server computer for collecting and monitoring feedback information concerning a user's opinion on usage of a service provided by the web server computer;

10 Fig. 15 illustrates schematically operating of a plurality of user computers and a web server in a centralised reputation service environment, where collection of reputation information is controlled by a computer entity which hosts a search engine;

15 Fig. 16 illustrates schematically a HTML page served by a search engine, viewable by a user computer, showing a plurality of web sites graded in order of reputation rating; and

20 Fig. 17 illustrates schematically components of a search engine according to a second specific implementation of the present invention, adapted for collecting satisfaction data from a plurality of users of web sites, collecting and analysing that satisfaction data and displaying a list of web sites along with an associated satisfaction data for each web site.

Detailed Description of the Best Mode for Carrying Out the Invention

25 There will now be described by way of example the best mode contemplated by the inventors for carrying out the invention. In the following description numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent however, to one skilled in the art, that the present invention may be practiced without limitation to these specific details. In other instances, well known methods and structures have not
30 been described in detail so as not to unnecessarily obscure the present invention.

One object of specific implementations of the present invention is to allow service providers, vendors and/or buyers to establish a reputation for themselves, in an electronic commerce environment, and to provide electronic facilities for allowing development of a reputation in an electronic services market.

5

Specific implementations according to the present invention aim to collect data concerning usage of information and data accessed via a web browser.

Data collected can be of various types, and in particular:

10

- User opinions about the quality of material accessed via a web browser.
- Data describing an effectiveness of the website structural design.

15

The above data types represent a measure of a user's satisfaction in her experience of using a website. A 'reputation' of a website can be determined from a cumulative knowledge of one or a plurality of users' satisfaction of experience when using the website.

20

Specific implementations aim to collect 'reputation' data, being data describing a general estimate of past behavior of a member of an internet community. The member of the community can be any type of member, but would most typically be a service provider providing a service to a business represented by a web site or e-commerce site on the internet.

25

Specific implementations according to the present invention provide for a mechanism for collecting and publishing on a discrete 'reputation system', opinions about the quality of material accessed via a web browser. The information is collected almost without effort on the part of the supplier of the information, i.e. the user of a web browser, by refining the 'back' and 'forward' transport icons seen on browsers and/or on web pages into two button icons with semantics which the user can easily recognise and become accustomed to using

30



routinely, without significantly impacting on the ease of usage of a web browser or web site.

5 Different types of information can be collected by providing modification of the 'back' and 'forward' transport icons seen on browsers and/or on web pages by dividing each of the back and forward icons into two icons, having semantics which describe the experience of a user for the service or website being viewed.

10 In the context of this specification, the term 'semantic information' means, a sign, symbol or logo or icon which is visually displayable and represents a meaning. Semantic information may comprise one or more sememes (also sometime called semantemes), which are minimum units of meaning.

15 Examples of the type of semantics which may be applied to the transport icons include :

Quality of service semantics such as;

20 Back; this is high quality material

Back; this is low quality material

25 Semantics describing the relevance and/or browsing effectiveness of a website or service to the user, may include:

Back: I found what I wanted

Back: I didn't find what I wanted

30 Similar semantics can also be applied to the forward transport button icons.

Transport button icons can also be modified to provide collection and publishing of information describing effectiveness of a browser in a World Wide Web scenario. Browsing effectiveness data can be used to:

- 5 1. Provide information to future would be browsers of a site
2. Provide feedback to the creators of a website describing the effectiveness of their website structural design.

Collected semantic data may be directed at providing the following
10 information types;

- user relevance data – specifies the relevance of a website content to a user;
- 15 • quality of service/customer satisfaction information – measure the quality of service provided by an operator of a website, and overall customer satisfaction of a website user;
- 20 • website navigation data (browsing effectiveness) – provides information on whether a website is easy to user or navigate, or difficult to use or navigate.

The above information types maybe further processed in order to gain a measure of a 'reputation' of the website. In the broadest sense, the reputation of
25 a website may include an underlying reputation of a service provider of the website. However, due to the nature of collecting the semantic data, the reputation information is more likely to describe in particular the reputation of the website, rather than any pre-existing reputation of a service provider or business operating the website, since activation of the transport icons is collected at a time
30 when a website is being viewed or accessed either directly, or through a web browser therefore, there reputation is likely to attach to the website itself, and its technical layout, technical operation, and content.

5 The information is collected almost without effort of the part of the end user, by recording the frequency and statistics of usage of the transport icons having different semantic labels.

10 In general, according to a specific method of the present invention there are provided processes of:

collection of semantic data describing one or a plurality of user's experience of using a website;

15 storage and/or making available the semantic data as a service to one or a plurality of service providers or users;

analysis and filtering of the semantic data to provide information which is of users to user and/or service providers.

20 Referring to Fig. 5 herein, there is illustrated schematically a first specific implementation according to the present invention, comprising a user computer 500 and a web server computer 501 communicating via a communications link 502, in which the user computer and web server computer contain components
25 for implementing collection and transfer of information concerning a user's experience of a website, from the user computer to the web server computer.

30 The user computer comprises a set of communications ports 503; at least one data processor 504; a memory 505 associated with a processor; one or more data storage devices 506, for example a hard disk drive unit; a user interface 507 including a visual display unit for displaying views, a keyboard and a pointing device such as a mouse; an operating system 508, for example the known Unix[®],

Linux[®], or Windows[®] operating systems; a web browser 509 for browsing the internet; and a transport monitoring application 510 for collecting data concerning a user's experience of a website or web page found by the browser 509.

5 The web server computer 501 comprises one or more communications ports 511 for communicating with a plurality of user computers; a data processor 512; a memory device 513, for temporary storage of data associated with a processor; a data storage device 514, for example a RAID array; an operating system 515, for example the known Unix[®], Linux[®], or Windows[®] operating
10 systems; one or more databases 516 providing content for a service provided by the web server computer; one of more service applications 517 for supporting a service provided by the web server computer; a web page generator 518, associated with the service applications, for serving web pages to a plurality of user computers over the internet; a transport monitor application 519 for
15 monitoring usage of transport icons by a plurality of users at a plurality of user computers; and a transport message generator 520 for generating transport messages for sending out with web pages to a plurality of user computers, the transport message specifying the information content to be displayed adjacent to a set of transport icons presented on a plurality browsers operated by a plurality
20 of said user computers, when viewing web pages served by the web server computer.

25 The transport monitoring application 510 can be implemented as program code comprising a separate application loaded into a prior art user computer, for modifying operation of a prior art browser, or can be included within a browser as an upgrade. The browser itself, may be provided as part of an operating system.

30 The transport message generator 520 and transport icon monitor 519 can each be implemented as separate applications loaded into a web server computer 501. Alternatively, the transport message generator or transport icon monitor can be provided as program code incorporated within a service



application, or a web page generator. It would be appreciated by the person by the skilled in the art that the functionality provided by the transport message generator and transport icon monitor can be implemented in a variety of different ways as program code within either a web server computer, and/or a user
5 computer.

Referring to Fig. 6 herein, there is illustrated schematically a screen view of a web browser according to a first specific implementation of the present invention, including a modified back button and a modified forward button.

10

The web browser comprises a plurality of prior art web browser features as are known in the art, and additionally, a first back transport icon 600, which a user activates to go back a page, if they have had a good experience with a website currently being viewed; a second back transport icon 601, which a user activates
15 to go back a page, when they have a poor or unsatisfactory experience with the website currently being viewed; a first forward transport icon 602, which a user activates to move forward a page when they are having a satisfactory or good experience with the website; a second forward transport icon 603, which a user activates to move forward a page, when they are having an unsatisfactory or poor
20 experience with the website currently viewed.

20

In the first specific implementation, the back and forward icons are provided as part of the browser functionality, rather than as part of the functionality of a website being viewed. However, the information collected through the browser
25 concerning the user's experience of a website being viewed is accessible by the website being viewed.

25

Labeling of the back and forward icons can determine the type of information which is being collected. Examples of the label text can be varied,
30 and selected to suit the information type which a service provider wishes to collect. Examples of information labeling include the following:

30

Good/bad – this provides a general overall indication of whether a user is having a good experience or a bad experience with a particular website or page

5 Good site/poor site – the information collected here is whether the user considers that the website being viewed is a good site, or a bad site.


10 Found what I want/didn't find what I want – this information indicates whether the user found what they were looking for on the website, or didn't find what they were looking for on the website.

15 Happy smiling face/sad smiling face – the information is not presented as text, but as a pair of complementary graphic icons, which subjectively test the users general attitude towards the website, but without specifying any particular feature or specific question about the user's experience.

20 The information labeling on the transport icons can range between being objective and subjective, depending upon the actual text string or icon graphic set which are used to convey the information as to which transport icon to use.

25 Similarly, icons or text questions can be used on the two forward icons, 502, 503 in the same manner, to pose a subjective or an objective question, or to generally gauge the attitude of the user, depending upon the information conveyed next to the two forward icons.

30 Referring to Fig. 7 herein, there is illustrated schematically a pair of back icons, wherein a first back icon 700 is associated with a first text information, and a second back icon 701 is associated with a second text information. The text information may be user selected. In the best mode implementation, the first and second back icons are presented on screen as close to each other as possible, so that it is just as easy or difficult for a user to activate one icon as the other. If the icons are placed spaced apart on the screen, then a user may habitually prefer one back icon to another, by virtue of its easier to find location, or by virtue



of the ergonomics of moving a pointing device such as a mouse on a screen. However, by placing the two back icons as close together as possible, variations due to user habit in manipulation of a pointer icon across a screen, visibility and ease of spotting the icon by a viewer can be cancelled by making these equally applicable to either icon.

Similarly, for moving a forward page, the two forward icons are presented similarly as the two back icons.

Referring to Fig. 8 herein, there is illustrated schematically a pair of back transport icons, where a first back transport icon 800 is identified with a first semantic icon having a subjective semantic, in this case, a happy smiling face icon, and a second back icon 801 is presented with an adjacent second semantic icon having a subjective semantic icon, in this case, a sad face.

Test or logo information types can be pre-set to elicit either an objective or a subjective response from a user. For example, if a user has genuinely had a bad experience using a website of a service provider, for example because the service provider did not deliver on time, then that is quite an objective measure of satisfaction, because most persons would agree that failure to deliver on time is an objective measure. However, if a person did not find what they were looking for at a website, and are dissatisfied, that is a subjective measure, since the website may be very good for certain types of goods or service, but perhaps not the particular goods or service which the user wished to find.

In general, objective measures of satisfaction include those parameters which would generally be regarded by most people to apply to the website or service provider itself, irrespective of the individual characteristics of a user. Subjective performance measurements are those which are user dependant, and for which the same level of performance of the website could be regarded differently by each of two or more users.

The data provided by the transport icons can be interpreted by the website in various ways, and may provide information as to how the website is presented on one or more search engines. For example, if on a search engine, a person is searching for information about furniture, and types in the word 'bedroom' into the search engine, sites which appear on the search engine, found from using the word 'bedroom' may include other sites, such as pornography sites. The user may click on links provided by the search engine, to mistakenly access the pornography site. The user may then activate a back transport button, indicating that they are not satisfied with the website found. This information can be used by the operator of the pornography website, to assess the performance of the search engine with which their website is registered. By monitoring the number of page back transport operations which occur on the home site of the pornography website, the operator of the pornography website can interpret this as being a number of users who have found the wrong site, and can review their relationship with the search engines with which they are registered as a result of that information.

By collating collected opinion data from many users over time, received from browsers equipped according to specific implementation of the invention herein, a web site operator can gain an overall impression of the effectiveness of their website, and hence the reputation of their business as presented on line. Web site operators can use the accumulated data to make modification to their websites, and then test their websites in an online environment, to see if the modified website has improved opinion data fed back from a plurality of users, equipped with browsers having transport icons as described herein.

Referring to Fig. 9 herein, there is illustrated schematically process steps carried out by the browser component of the user computer for collecting opinion data describing a user's opinion of a website, and forwarding that data to the website. In process 900, the browser finds a page of a website, in conventional manner. In process 901 the browser receives a user input of a transport icon, to either move a page forward or a page back from a currently displayed page. The

icon can be of first type, that is a generally favorable opinion by the user, or of a second type, that is of a generally unfavorable opinion of a user. In process 902, an opinion message is constructed, describing the type of transport icon which was selected by a user, the web page to which that transport icon related; and in
5 process 903, the web browser sends the opinion message to the website whose page was displayed at the time when the transport icon was activated by the user.

Referring to Fig. 10 herein, there is illustrated schematically an example of
10 an opinion message sent from a browser to a website, when a user operates a transport icon as described above. The opinion message comprises a first field 1000 containing the address of the destination website which is collecting the feedback information; a second field 1001 which contains the address of the page of the website which the user was viewing, immediately prior to activating
15 the transport icon, and which is therefore the subject of the users opinion; a description field 1002 containing a description of the users opinion, as defined on the browser by the information presented adjacent to the transport icon which was activated; and optionally, a search engine address 1003 which identifies the search engine which was used to find the website by the browser.

20

Referring to Fig. 11 herein, there is illustrated in more detail the description field. The description field 1001 may comprise various sub-fields including a direction field 1100, indicating whether a forward transport icon or a back transport icon was selected; a text displayed sub-field 1101, containing the text
25 information displayed next to the transport icon (if any); an image identifier field 1102 containing data describing a particular graphics image displayed adjacent to the transport icon (if applicable); a positive/negative indicator sub-field 1103 containing data describing a generic overall positive or negative categorisation of the transport icon activated by the user; and a subjective/objective sub-field 1104
30 containing generic information as to whether the text information displayed, or image identified next to a transportation can be categorised as an objective measure of satisfaction or a subjective measure of satisfaction.

Referring to Fig. 12 herein, there are illustrated schematically process steps carried out by a web server on receiving an opinion message from a web browser. In process 1200, the web server receives an opinion message from a web browser which is viewing a web page served by the web server. In process 1201, the web server stores the received opinion message in a database. In process 1202, the web server may apply an analysis program to a plurality of stored opinion messages in the database, for analysing the results of many opinion message received from many different users using many different web browsers.

Referring to Fig. 13, herein, there is illustrated schematically process steps carried out by the web server computer when a user computer requests to access web pages server by the web server computer. The process shown in Fig. 13 is carried out for each of a plurality of users, every time a user accesses a service or website served by the web server computer. In process 1300, the web server receives a request to access a website or service provided by the web server, from a browser of a user computer. In process 1301, the server launches a web page which can be viewed by the user computer. In process 1302, the web server generates a transport icon information, and sends an information label in the form of a text message or a graphic, for each of a back transport icon of a first type and a second type, and for each of a forward transport icon of a first type and a second type. The corresponding respective information messages or information graphics, are sent to the user computer. The web server computer has control over the information in the message or graphic, and can select these from a library of messages, depending upon which parameters the operator of the web server computer wishes to monitor. In a simple implementation, the web server computer may be pre-set to launch only one type of message, however in a more sophisticated implementation, a selection of messages may be provided, and the transport message generation application 520 of the web server computer may provide a user interface enabling an operator of the web server computer to change the text message to change graphics information which is



displayed immediately adjacent the transport icons on the web browser. In process 1303, the web server computer monitors incoming opinion messages from the web browser of the user computer, indicating how a user is navigating through the website, and whether the user is satisfied or dissatisfied with the service provided by the website, by monitoring the back and forward transport icons, and whether a type 1 back icon or type 2 back icon, or type 1 forward icon or type 2 forward icon has been activated by the user. The web server computer collects and collates the received opinion messages and may perform analysis on a large number of such received messages from a plurality of users.

10

Referring to Fig. 14 herein, there is illustrated schematically an example of an interaction sequence between a user computer having a web browser and a web server computer 1401. A user computer 1400 searches the internet to find a website provided at web server 1401. The browser at the user computer sends a page request 1402 to the web server requesting servicing of a page. The web server serves the page and sends a icon information text/graphics message 1403 to the user computer. The text/graphics message contains a text string and/or a graphics icon which is to be presented alongside first and second icons and first and second forward icons, in order to label those transport icons as displayed on the web browser of the user computer. The user may navigate the website accessing pages of the website, or transporting back out of the website. Further pages are requested by the web browser by sending a next page message 1404, which is responded to by the web server computer by launching a next page 1405. Each time the user requests a next page, they must do so by activating a forward icon, and they are obliged to select either a forward icon of the first type (positive) or the second type (negative). The appropriate icon results in an opinion message 1406 being generated by the user computer and sent to the web server computer. To exit a website, the user may activate a back icon of either the first type of second type. The back icons are each labeled with a text information or graphics information, describing whether that back icon is of a positive experience type or a negative experience type. Activation of a back icon results in a back message being sent to the web server computer, along with a

15

20

25

30

corresponding opinion message 1407 which is collected by the web server computer, and indicates whether the user has had a positive experience or a negative experience of that particular web page or website.

5 Labeled transport icons are broadly categorised into two types: type 1 being an icon which displays information confirming a positive experience by the user, and type 2, which conveys information describing a negative experience by a user.

10 The specific methods of the invention described herein may apply equally to centrally managed networks, and peer to peer networks. One example of a centralised system will now be described, based on a search engine

15 Referring to Fig. 15 herein, there is illustrated schematically operation of a plurality of user computers, and a web server according to a specific implementation of the present invention, in a centralised reputation service environment.

20 For a centrally managed reputation service, as shown in Fig. 15 herein, the user would typically access a search engine, using their browser and type in a word to find a service for example 'chairs'. The search engine would have links to many other computers operating other websites.

25 After receiving a query from a user computer, the search engine returns an HTML page for viewing by the browser at the user computer, with the links to other websites. The search engine has links to many other websites. The search engine looks for links to other sites which matches the query. The search engine downloads to the browser on the user computer a reply, including the appropriate links to the website selected by the search engine. The user then decides
30 whether to follow those links to other websites. The user then follows one of those links, and then after using that site, the user clicks on one of the transport



icons, which supplies reputation information back to the search engine, the reputation information describing the user's experience of using the website.

Referring to Fig. 16 herein, there is illustrated schematically a web page display visible on a users browser, in response to a query 'chairs'.

The semantic information which has previously been collected by the search engine could be displayed along with a link, enabling the user to select links on the basis of their reputation orderings, in the case where the search engine stores reputation data locally concerning a plurality of websites. A reputation rating may be displayed on the user's browser along with a link, so that at the point of selection, the user can select websites based upon reputation data collated from the collective experiences of many previous users of that website. In this centralised system, the search engine acts as a centralised trusted third party, monitoring the reputation of a plurality of websites, and presenting that reputation data to a plurality of users at the point of selection of websites.

The web display comprises a list of websites, with descriptive text information, each website having a reputation data 1600 describing a customer experience for persons using that website. Some of the websites are directly relevant to furniture, whereas others, found using the word 'chair', are irrelevant to furniture. In this example, the websites are listed in order of reputation, starting with the highest reputation in this example of 90%. The reputation data is downloaded by the web browser, at the same time as downloading the links from the search engine, and is displayed to a user at a user computer, so the user can select websites on the basis of reputation data.

Referring to Fig. 17 herein, there is illustrated schematically components of the search engine shown in Fig. 15, for collecting opinion data, concerning a plurality of users opinions on a plurality of web sites found by the search engine, and for displaying that opinion data within a search result in response to a user request for a search. Search engine 1700 comprises a display interface

generator 1701 for displaying a search engine display; a transport icon generator 1702 for generating forward and back transport icons; a semantic information generator 1703 for generating information labels in the form of text or graphics to be associated with the transport icons; a search component 1704, as in the
5 known in the art, for finding web sites on the internet; a transport data collection component 1705 for collecting data whenever a transport icon is activated; and an analysis component 1706 for performing an analysis of the collecting transport icon data and generating a satisfaction metric from the collecting transport icon data, describing how satisfied users are with the plurality of web sites.

10

Display interface generator 1701 comprises a conventional search engine display having a text data entry field for entering a key word to be searched, but being additionally modified to incorporate transport icons of a first type, denoting a positive experience, and a second type denoting a negative experience.

15

Transport icon generator 1702 generates the positive and negative type transporter icons. A back icon of a first (positive type) and a back icon of a second (negative type) may be generated, and similarly a forward transport icon of a first (positive type) and a forward transport of a second (negative type) may
20 be generated. Information generation component 1703 generates the text and/or graphics information which is displayed immediately adjacent a said transport icon. Information types may be as described herein before with respect to the first specific implementation.

25

Transport data collection component 1705 collects signals every time a transport icon is activated on the display screen generated by the display interface generator 1701. The transport data collecting component 1705 also receives an input from the search component 1704, of the web address which is currently being displayed. Therefore, the transport data collector 1705 can
30 associate back positive, back negative, forward positive, and forward negative transport icon activation's with a particular web address, and stores this information in database 1707. Analysis component 1706 analyses the data



stored in the database, and can generate a satisfaction rating information, for example a percentage satisfaction, determined by a set of algorithms, using the collected transport icon activation data stored in the database. For each web site, the analysis component 1706 may for example generate a single figure
5 showing an overall user satisfaction rating, as illustrated schematically in Fig. 16 herein. This information can be fed back to the display interface generator, such that when a list of web sites is found by the search component 1704, the stored data is database 1707 for each web site for which the search engine has previously calculated the satisfaction data can be displayed as a list similarly as
10 shown in Fig. 16, wherein in for each web site, an overall satisfaction rating is displayed along with the web address of that site.

It will be appreciated by the person skilled in the art that variations on the above embodiments are possible. In a variation embodiment, the transport
15 buttons may be provided within a website itself, rather than viewable on a browser. In this case, the data collected from the forward and back transport icons on the website would be applicable only to that website, and may not be accessible by a centralised system, for example a search engine equipped to collect satisfaction or reputation data.

Claims:

1. Program data comprising instructions for causing a computer to operate to:

5 display a first transport icon for transporting between page displays;

display a first semantic information associated with said first transport icon;

display a second transport icon for transporting between page displays; and

10

display a second semantic information associated with said second transport icon,

15 wherein said first and second transport icons are each activatable for effecting a same transition between page displays, and said first and second semantic information are different to each other.

2. Program data as claimed in claim 1, wherein said information comprises text data.

20

3. Program data as claimed in claim 1, wherein said information comprises a graphics information.

25 4. Program data as claimed in claim 1, wherein said program data comprises instructions for causing said computer to operate to display said first and second transport icons and said first and second information within a web browser interface display.

30 5. Program data as claimed in claim 1, comprising instructions for causing said computer to operate to:

display said first and second transport icons and said first and second information within a web page.

6. Program data as claimed in claim 1, further comprising instructions
5 for causing said computer to operate to:

send a first message type every time said first transport icon is activated;
and

10 send a second message type every time said second transport icon is activated.

7. Program data as claimed in claim 1 wherein:

15 said first information comprises information describing a positive aspect;
and

said second information comprises information describing a negative
aspect.

20

8. A computer entity comprising:

a visual display device capable of generating a screen display comprising a
display window for displaying a web page;

25

a web browser component, capable of generating instructions for finding a
website, and for displaying a plurality of web pages of a said website,

a transport component for causing said web browser to display a transport
30 icon which can be activated to cause said computer to display a succession of
views in said display window; and

an information display component for displaying information about a users experience of information displayed in said display window of said browser, said information display being presented immediately adjacent a said transport icon.

5 9. The computer entity as claimed in claim 8, wherein:

said information describing a users experience is selected from the set;

a graphical information;

10

a text information.

10. The computer entity as claimed in claim 8, wherein said information describing a user's experience is selected from the set:

15

information determining whether a user found/did not find what they wanted;

information describing whether a user had a good/bad experience;

20 information describing whether a user had a satisfactory/unsatisfactory experience.

11. The computer entity as claimed in claim 8, further comprising:

25 a component for recording information as to whether a particular transport icon has been activated; and

a component for sending said information concerning said activated icon to an address to which said web browser was connected, at a time at which said
30 icon was activated.



12. A service provider computer entity adapted for providing an online accessible service, said computer entity comprising:

a web server application capable of generating a plurality of web pages; and

5

a user monitoring application, capable of monitoring a plurality of messages received from a plurality of users of said service, wherein said plurality of messages contain information describing said user's experiences of said website.

10 13. A service provider computer entity adapted for providing an online accessible service, said computer entity comprising:

a web server application capable of serving a website to a plurality of users;

15 a message generation component for generating messages containing information associated with a plurality of browser transport icons, said information describing a positive aspect and a negative aspect of an experience of a website served by said computer entity.

20 14. The computer entity as claimed in claim 13, wherein said information comprises:

a text description of a positive information type and a text description of a negative information type.

25

15. The computer entity as claimed in claim 13, wherein said information comprises:

30 a graphical representation of a positive type and a graphical representation of a negative type.

16. The computer entity as claimed in claim 13, wherein said information comprises information selected from the set:

information constructed for eliciting an objective response;

5

information constructed for eliciting a subjective response.

17. A method of operating a computer entity to collect data describing opinions of a plurality of users of one or more on line services, said method
10 comprising:

displaying a set of transport icons for transporting between display views comprising said online service; and

15 for each said transport icon, presenting an associated information describing a type of experience which said user has encountered.

18. The method as claimed in claim 17, wherein:

20 a pair of said transport icons for effecting a transition between first and second page displays in a same direction, are each provided with a corresponding respective said associated information;

25 said first and second said associated information have a different semantic from each other.

19. A search engine comprising:

30 a component for generating a screen display view, said screen display view comprising a set of transport icons for navigating through a set of displayed web pages, said transport icons comprising:

a positive transport icon which can be activated in response to a positive experience of a user of a said search engine; and

5 a negative transport icon, which can be activated in response to a negative experience of said user;

10 a component for cumulatively collecting data describing activation of said transport icons and for matching said activation data with a set of web sites for which said activation data corresponds;

a component for generating a satisfaction information from said activation data, said satisfaction information describing a level of satisfaction with each said web site, determined from said activation data; and

15 a component for displaying a list of said web sites, together with a corresponding respective satisfaction data for each said web site.

20. A method of operating a computer entity comprising:

20 generating a screen display view, said screen display view comprising a set of transport icons for navigating through a set of displayed web pages;

displaying a positive transport icon which can be activated in response to a positive experience of a user of a said search engine; and

25 displaying a negative transport icon, which can be activated in response to a negative experience of said user;

30 collecting data describing activation of said transport icons and matching said activation data with a set of web sites for which said activation data corresponds;

generating a satisfaction information from said activation data, said satisfaction information describing a level of satisfaction with each said web site, determined from said activation data; and

- 5 displaying a list of said web sites, together with a corresponding respective satisfaction data for each said web site.

21. A search engine operable for:

- 10 finding, in response to a text string input of a remote user, a plurality of web sites;

for a plurality of said web sites, storing cumulative data describing user satisfaction of each of said web sites;

- 15 displaying said plurality of web sites as a list in a visual display interface, wherein for each said web site, is displayed a satisfaction rating determined from said accumulated satisfaction data.

- 20 22. A method of collecting and disseminating information within a computer system comprising a plurality of computer entities, said method comprising:

- 25 collecting semantic information describing features of a plurality of service sites served by individual ones of said plurality of computer entities;

for each said service site, making available said collected semantic information relating to said service site.

- 30 23. A method of operating a computer entity comprising a user interface capable of displaying a sequence of page displays, said method comprising:

displaying a first transport icon for transporting between page displays;

5 displaying a first semantic information associated with said first transport icon;

displaying a second transport icon for transporting between page displays;
and

10 displaying a second semantic information associated with said second transport icon,

wherein said first and second transport icons are each configured for effecting a same transition between page displays, and said first and second
15 semantic information are different to each other.

24. A computer entity configured for collecting data describing a user's experience of a service accessed by said computer entity, said computer comprising:

20

a web browser:

a first transport icon display for transporting between page displays;

25

a first semantic information associated with said first transport icon display;

a second transport icon display for transporting between page displays; and

a second semantic information associated with said second transport icon
30 display;

wherein said first and second transport icons are each activatable for effecting a same transition between page displays, and said first and second semantic information are different to each other.

Abstract

**COLLECTING BROWSING EFFECTIVENESS DATA VIA REFINED
TRANSPORT BUTTONS**

- Program data comprising instructions for causing a computer to operate to:
- 5 generate a first transport icon; generate a first information associated with said first transport icon; generate a second transport icon; and generate a second information associated with said second transport icon.

10

Fig. 5




Fig. 1
(Prior Art)




Fig. 2
(Prior Art)




Fig. 3
(Prior Art)




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 12

9/14

¹⁰⁰⁰
Address of destination | ¹⁰⁰¹
Address of web page, subject of opinion |
¹⁰⁰²
Opinion message (description) | ¹⁰⁰³
Search engine address |

Fig. 10

1100 | Forward / back |
1101 | Text displayed |
1102 | Image identifier |
1103 | Generic positive / negative indicator |
1104 | Generic subjective / objective indicator |

Fig. 11




Fig. 13




Fig. 14





Fig. 15

13/14



Www.Chairobics - Relaxing recliners	Survey 90%
www.Chaise longue - Classic French	Survey 85%
www.Babychair - Children's feeding chair	Survey 60%
www.LSE-economics - Chair of economics in	Survey 58%
www.Harvard - Professional chair in law	Survey 57%

Fig. 16




Fig. 17

THIS PAGE BLANK (USPTO)